

March 24, 2021



U.S. Department  
of Transportation

East Building, PHH-30  
1200 New Jersey Avenue S.E.  
Washington, D.C. 20590

**Pipeline and Hazardous  
Materials Safety Administration**

DOT-SP 20795  
(FIRST REVISION)

**EXPIRATION DATE: 2025-01-31**

(FOR RENEWAL, SEE 49 CFR 107.109)

1. GRANTEE: Jaguar Texas Valve & Instruments Inc.  
Houston, TX
2. PURPOSE AND LIMITATIONS:
  - a. This special permit authorizes the manufacture, mark, sale and use of non-DOT specification cylinders conforming with all regulations applicable to a DOT specification 3E, except as specified herein, for the transportation in commerce of the materials authorized by this special permit. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein. The most recent revision supersedes all previous revisions.
  - b. The safety analyses performed in development of this special permit only considered the hazards and risks associated with transportation in commerce. The safety analyses did not consider the hazards and risks associated with consumer use, use as a component of a transport vehicle or other device, or other uses not associated with transportation in commerce.
  - c. In accordance with 49 CFR 107.107(a) party status may not be granted to a manufacturing permit. These packagings may be used in accordance with 49 CFR 173.22a.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 173.302a(a)(1), 173.304a(a)(1)

**March 24, 2021**

5. BASIS: This special permit is based on the application of Jaguar Instruments Inc. dated February 12, 2021, submitted in accordance with § 107.109.
6. HAZARDOUS MATERIALS (49 CFR 172.101):

<b>Hazardous Material Description</b>			
<b>Proper Shipping Name</b>	<b>Hazard Class/ Division</b>	<b>Identification Number</b>	<b>Packing Group</b>
1,2-Dichloro-1,1,2,2-tetrafluoroethane or Refrigerant gas R 114	2.2	UN1958	N/A
Air, compressed	2.2	UN1002	N/A
Ammonia solution, relative density less than 0.880 at 15 degrees C in water, with more than 35 percent but not more than 50 percent ammonia	2.2	UN2073	N/A
Butane see also Petroleum gases, liquefied	2.1	UN1011	N/A
Carbon dioxide	2.2	UN1013	N/A
Compressed gas, flammable, n.o.s.	2.1	UN1954	N/A
Compressed gas, toxic, n.o.s. Inhalation Hazard Zone D	2.3	UN1955	N/A
Compressed gas, toxic, flammable, n.o.s. Inhalation Hazard Zone D	2.3	UN1953	N/A
Dichlorodifluoromethane or Refrigerant gas R 12	2.2	UN1028	N/A
Ethane	2.1	UN1035	N/A
Gasoline includes gasoline mixed with ethyl alcohol, with not more than 10% alcohol	3	UN1203	II

March 24, 2021

<b>Hazardous Material Description</b>			
<b>Proper Shipping Name</b>	<b>Hazard Class/ Division</b>	<b>Identification Number</b>	<b>Packing Group</b>
Isobutane see also Petroleum gases, liquefied	2.1	UN1969	N/A
Helium, compressed	2.2	UN1046	N/A
Hydrocarbon gas mixture, compressed, n.o.s.	2.1	UN1964	N/A
Hydrocarbon gas mixture, liquefied, n.o.s.	2.1	UN1965	N/A
Hydrocarbons, liquid, n.o.s.	3	UN3295	I
Hydrocarbons, liquid, n.o.s.	3	UN3295	II
Hydrocarbons, liquid, n.o.s.	3	UN3295	III
Isopropanol or Isopropyl alcohol	3	UN1219	II
Liquefied gas, toxic, flammable, n.o.s. Inhalation Hazard Zone A	2.3	UN3160	N/A
Liquefied gas, flammable, n.o.s.	2.1	UN3161	N/A
Liquefied gas, n.o.s.	2.2	UN3163	N/A
Methane, compressed or Natural gas, compressed (with high methane content)	2.1	UN1971	N/A
Nitrogen, compressed	2.2	UN1066	N/A
Oil gas, compressed	2.3	UN1071	N/A
Petroleum crude oil	3	UN1267	I
Petroleum crude oil	3	UN1267	II
Petroleum crude oil	3	UN1267	III

March 24, 2021

Hazardous Material Description			
Proper Shipping Name	Hazard Class/ Division	Identification Number	Packing Group
Petroleum distillates, n.o.s. or Petroleum products, n.o.s.	3	UN1268	I
Petroleum gases, liquefied or Liquefied petroleum gas	2.1	UN1075	N/A
Propane, see also Petroleum gases, liquefied	2.1	UN1978	N/A

7. SAFETY CONTROL MEASURES:

- a. PACKAGING: Packaging prescribed is a non-DOT specification, nickel based alloy (Monel 400) cylinder with 304 or 316 stainless steel tie rods and nuts. Cylinders must conform to Jaguar Instruments Inc. sketches, photographs, drawings and calculations, which are on file with the Office of Hazardous Materials Safety Approvals and Permits Division (OHMSAPD). Cylinders must conform with all regulations applicable to DOT Specification 3E cylinders (§§ 178.35 and 178.42) except as follows:

§ 178.42(a) *Type, size, and service pressure:* The cylinder is a seamless tubing cylinder with an outside diameter not greater than 4.5 inches, maximum water capacity of 90 cubic inches, and a service pressure of 1,800 psig.

§ 178.42(d) *Manufacture:* The cylinder head with openings may be attached by bolts and gaskets.

§ 178.42(h) *Rejected cylinders:* No repairs or heat treatments are authorized on rejected cylinders.

§ 178.42(n) *Markings:* In lieu of the DOT 3E specification marking, each cylinder must be marked "DOT-SP 20795".

- b. OPERATIONAL CONTROLS: Cylinders must be shipped in strong outside packaging complying with

**March 24, 2021**

§ 173.301(a)(9). Each cylinder must be secured against movement within the overpack.

8. SPECIAL PROVISIONS:

a. In accordance with the provisions of Paragraph (b) of § 173.22a, persons may use the packaging authorized by this special permit for the transportation of the hazardous materials specified in paragraph 6, only in conformance with the terms of this special permit.

b. A person who is not a holder of this special permit, but receives a packaging covered by this special permit, may reoffer it for transportation provided no modification or change is made to the packaging and it is offered for transportation in conformance with this special permit and the HMR.

c. A current copy of this special permit must be maintained at each facility where the package is offered or reoffered for transportation.

d. Each packaging manufactured under the authority of this special permit must be either (1) marked with the name of the manufacturer and location (city and state) of the facility at which it is manufactured or (2) marked with a registration symbol designated by the Office of Hazardous Materials Special Permits and Approvals for a specific manufacturing facility.

e. Pressure Relief Devices (PRD) are not authorized on Division 2.3, Hazard Zone A materials per § 173.301(f)(6).

f. A current copy of this special permit must be maintained at each facility where the packaging is manufactured under this special permit. It must be made available to a DOT representative upon request.

9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicles, rail freight, cargo aircraft or cargo vessel.

10. MODAL REQUIREMENTS: A current copy of this special permit must be carried aboard each cargo vessel, aircraft or motor vehicle used to transport packages covered by this special permit. The shipper must furnish a copy of this special permit to the air carrier before or at the time the shipment is tendered.

**March 24, 2021**

11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:

- o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
- o Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
- o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.


No person may use or apply this special permit, including display of its number, when this special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU) – "The Hazardous Materials Safety and Security Reauthorization Act of 2005" (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term "exemption" to "special permit" and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

**March 24, 2021**

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 - Immediate notice of certain hazardous materials incidents, and 171.16 - Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:



for William Schoonover  
Associate Administrator for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, East Building PHH-30, 1200 New Jersey Avenue, Southeast, Washington, D.C. 20590.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at [http://hazmat.dot.gov/sp\\_app/special\\_permits/spec\\_perm\\_index.htm](http://hazmat.dot.gov/sp_app/special_permits/spec_perm_index.htm) Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: AC/TG